

Contribution to the Bulgarian ground-beetles fauna (Coleoptera: Carabidae). I. A genus and seven species, new for the country

Borislav GUÉORGUIEV, Jan MUILWIJK

One genus (*Ocys*) and seven species are added to the list of the Bulgarian Carabidae (GUÉORGUIEV & GUÉORGUIEV, 1995) in the present paper. *Ophonus heinzi* has been established as a new species for the European ground-beetles fauna.

Elaphrini

Elaphrus (Elaphroterus) ullrichi Redtenbacher, 1842 - West Rhodope Mts., around Sarnitsa Vil., 29.VII.1996, 2 ♂♂, 1 ♀; the same locality, 24.VII.1997, 2 ♂♂, 2 ♀♀. All specimens leg. & det. Muilwijk. Preserved in coll. Guéorguiev (1), coll. Muilwijk (5), and coll. Wrase (1). Central-Southeast-European species: Central Europe, Carpathians, North Italy, Slovenia, Bosna, Bulgaria.

Bembidiini

Ocys (Ocys) harpaloides (Serville, 1821) - Strandzha Mt., in the "Uzunbodzhak" Reserve, along the Rezovska River, 26.V.1995, 1 ♂, leg. & det. & coll. Guéorguiev; the Southern Black Sea Coast, Achtopol, 5.VIII.1997, 1 ♀, leg. & det. Muilwijk, coll. Wrase. Euromediterranean species: Europe (excl. northern and eastern parts), Azores, North Africa, Syria.

Pterostichini

Pterostichus (Argutor) chamaeleon Motschulsky, 1865 - West Bulgaria, Dragoman, 800 m, 14.IV.1939, 1 ♀, leg. B. Pittioni, det. & coll. Guéorguiev. West Eurasian (Pontosarmatian) steppe species: southeastern parts of Europe (incl. Southern Russian Plane and Ciscaucasia), southeastern Siberia, northern Kazakhstan.

Pterostichus (Feronidius) serbicus Apfelbeck, 1899 - Vitosha Mt., around Dragalevtzi Vil., 4.VI.1906, 1 ♂, collector unknown, det. & coll. Guéorguiev. Allopatric with the relative *Pt. melas depressus* Dej. in its type locality (APFELBECK, 1904). A different form - *Pt. serbicus* var. *karageorgii* Lutshn. is known from Novi Pazar (southwestern Serbia), distinguished from the typical form by lack of outer basal fovea of pronotum (APFELBECK, 1904). Balkan endemic species distributed in Serbia and the central part of West Bulgaria.

Platynini

Agonum (Agonum) nigrum Dejean, 1828 - West Rhodope Mts., Mugla Vil., 26.VII.1997, 1 specimen, leg. Muilwijk, det. Jeanne, coll. Wrase. Atlanto-mediterranean species: West Europe, southwestern parts of Central Europe, Iberian Peninsula, Italy, Dalmatia, Bulgaria, Crete, Southern Russian Plane, Crimea, Ciscaucasia, North Africa, Turkey, Iran.

Harpalini

Ophonus (Ophonus) heinzi Wrase, 1991 - Thracean Lowland, Vinitza Vil., 7.V.1992, 1 ♀, leg. B. Petrov, det. & coll. Guéorguiev. This individual was formerly labeled (but not published) as "*Ophonus heinzi* female ? Wrase" by B. Kataev. Balkan-Anatolian species: central part of South Bulgaria, southern Asia Minor.

Lebiini

Paradromius (Paradromius) longiceps (Dejean, 1826) - Southern Black Sea Coast, a marsh 1 km south of the camp of Dyuni (Dunes), 12.VIII.1996, 1 ♀; Southern Black Sea Coast, mouth of the Veleka River by Sinemorets Vil., 2.VIII.1998, 1 ♂, 1 ♀. All specimens leg. & det. Muilwijk. Preserved in coll. Muilwijk and coll. Wrase. Eurocaucasian species.

Acknowledgements

We are much obliged to Mr. C. Jeanne (Langon, France), Dr. B. Kataev (Sankt-Petersburg, Russia) and Mr. D. Wrase (Berlin, Germany) who were so kind as to determine or confirm some of the specimens.

References

- APFELBECK V. 1904. Die Käferfauna der Balkanhalbinsel, mit Berücksichtigung Klein-Asien und der Insel Kreta. Erstes Band: Familienreiche Caraboidea. Berlin, R. Friedländer & Sohn. IX + 422 p.
- GUÉORGUIEV V., B. GUÉORGUIEV. 1995. Catalogue of the ground-beetles of Bulgaria (Coleoptera: Carabidae). Sofia - Moscow, Pensoft Publishers. 279 p.

Received on 9.3.1999

Author's addresses:

Borislav Guéorguiev
National Museum of Natural History
1, Tsar Osvoboditel Blvd
Sofia 1000, Bulgaria
e-mail: bobivg@yahoo.com

Jan Muilwijk
Aeolusweg 133
3731 XE De Bilt, Nederland
e-mail: koen.muilwk@tip.nl

Принос към българската фауна на бегачите (Coleoptera: Carabidae). I. Един род и седем вида нови за фауната на България

Борислав ГЕОРГИЕВ, Ян МЪОЙЛВЕЙК

(Резюме)

Списъкът на българските карабиди се допълва с 1 род и 7 вида, нови за твърдокрила фауна на страната. *Ophonus heinzi* Wrase е нов вид и за фауната на Европа.